



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/031,571

01/22/2002

Adriano Huber

217924US2PCT

6394

22850

7590

05/02/2006

OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.
1940 DUKE STREET
ALEXANDRIA, VA 22314

EXAMINER

SZYMANSKI, THOMAS M

ART UNIT

PAPER NUMBER

2134

DATE MAILED: 05/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Interview Summary	Application No.	Applicant(s)	
	10/031,571	HUBER, ADRIANO	
	Examiner	Art Unit	
	Thomas Szymanski	2134	

All participants (applicant, applicant's representative, PTO personnel):

- (1) Thomas Szymanski. (3) Joe Wrkich.
 (2) Jacques Louis-Jacques. (4) Ray Cardillo.

Date of Interview: 24 April 2006.

Type: a) ☐ Telephonic b) ☐ Video Conference
 c) ☒ Personal [copy given to: 1) ☐ applicant 2) ☒ applicant's representative]

Exhibit shown or demonstration conducted: d) ☐ Yes e) ☒ No.
 If Yes, brief description: _____.

Claim(s) discussed: 17-20, 9-20 and proposed new claim 21-35

Identification of prior art discussed: Alperovich.

Agreement with respect to the claims f) ☐ was reached. g) ☐ was not reached. h) ☒ N/A.

Substance of Interview including description of the general nature of what was agreed to if an agreement was reached, or any other comments: Clarification of the applicant's invetion in the context of the Alperovich reference was discussed.

(A fuller description, if necessary, and a copy of the amendments which the examiner agreed would render the claims allowable, if available, must be attached. Also, where no copy of the amendments that would render the claims allowable is available, a summary thereof must be attached.)

THE FORMAL WRITTEN REPLY TO THE LAST OFFICE ACTION MUST INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See MPEP Section 713.04). If a reply to the last Office action has already been filed, APPLICANT IS GIVEN A NON-EXTENDABLE PERIOD OF THE LONGER OF ONE MONTH OR THIRTY DAYS FROM THIS INTERVIEW DATE, OR THE MAILING DATE OF THIS INTERVIEW SUMMARY FORM, WHICHEVER IS LATER, TO FILE A STATEMENT OF THE SUBSTANCE OF THE INTERVIEW. See Summary of Record of Interview requirements on reverse side or on attached sheet.

Jacques Louis-Jacques
 JACQUES H. LOUIS-JACQUES
 PRIMARY EXAMINER

Examiner Note: You must sign this form unless it is an Attachment to a signed Office action.

Thomas Szymanski
 Examiner's signature, if required

Summary of Record of Interview Requirements

Manual of Patent Examining Procedure (MPEP), Section 713.04, Substance of Interview Must be Made of Record

A complete written statement as to the substance of any face-to-face, video conference, or telephone interview with regard to an application must be made of record in the application whether or not an agreement with the examiner was reached at the interview.

Title 37 Code of Federal Regulations (CFR) § 1.133 Interviews

Paragraph (b)

In every instance where reconsideration is requested in view of an interview with an examiner, a complete written statement of the reasons presented at the interview as warranting favorable action must be filed by the applicant. An interview does not remove the necessity for reply to Office action as specified in §§ 1.111, 1.135. (35 U.S.C. 132)

37 CFR §1.2 Business to be transacted in writing.

All business with the Patent or Trademark Office should be transacted in writing. The personal attendance of applicants or their attorneys or agents at the Patent and Trademark Office is unnecessary. The action of the Patent and Trademark Office will be based exclusively on the written record in the Office. No attention will be paid to any alleged oral promise, stipulation, or understanding in relation to which there is disagreement or doubt.

The action of the Patent and Trademark Office cannot be based exclusively on the written record in the Office if that record is itself incomplete through the failure to record the substance of interviews.

It is the responsibility of the applicant or the attorney or agent to make the substance of an interview of record in the application file, unless the examiner indicates he or she will do so. It is the examiner's responsibility to see that such a record is made and to correct material inaccuracies which bear directly on the question of patentability.

Examiners must complete an Interview Summary Form for each interview held where a matter of substance has been discussed during the interview by checking the appropriate boxes and filling in the blanks. Discussions regarding only procedural matters, directed solely to restriction requirements for which interview recordation is otherwise provided for in Section 812.01 of the Manual of Patent Examining Procedure, or pointing out typographical errors or unreadable script in Office actions or the like, are excluded from the interview recordation procedures below. Where the substance of an interview is completely recorded in an Examiners Amendment, no separate Interview Summary Record is required.

The Interview Summary Form shall be given an appropriate Paper No., placed in the right hand portion of the file, and listed on the "Contents" section of the file wrapper. In a personal interview, a duplicate of the Form is given to the applicant (or attorney or agent) at the conclusion of the interview. In the case of a telephone or video-conference interview, the copy is mailed to the applicant's correspondence address either with or prior to the next official communication. If additional correspondence from the examiner is not likely before an allowance or if other circumstances dictate, the Form should be mailed promptly after the interview rather than with the next official communication.

The Form provides for recordation of the following information:

- Application Number (Series Code and Serial Number)
- Name of applicant
- Name of examiner
- Date of interview
- Type of interview (telephonic, video-conference, or personal)
- Name of participant(s) (applicant, attorney or agent, examiner, other PTO personnel, etc.)
- An indication whether or not an exhibit was shown or a demonstration conducted
- An identification of the specific prior art discussed
- An indication whether an agreement was reached and if so, a description of the general nature of the agreement (may be by attachment of a copy of amendments or claims agreed as being allowable). Note: Agreement as to allowability is tentative and does not restrict further action by the examiner to the contrary.
- The signature of the examiner who conducted the interview (if Form is not an attachment to a signed Office action)

It is desirable that the examiner orally remind the applicant of his or her obligation to record the substance of the interview of each case. It should be noted, however, that the Interview Summary Form will not normally be considered a complete and proper recordation of the interview unless it includes, or is supplemented by the applicant or the examiner to include, all of the applicable items required below concerning the substance of the interview.

A complete and proper recordation of the substance of any interview should include at least the following applicable items:

- 1) A brief description of the nature of any exhibit shown or any demonstration conducted,
- 2) an identification of the claims discussed,
- 3) an identification of the specific prior art discussed,
- 4) an identification of the principal proposed amendments of a substantive nature discussed, unless these are already described on the Interview Summary Form completed by the Examiner,
- 5) a brief identification of the general thrust of the principal arguments presented to the examiner,
(The identification of arguments need not be lengthy or elaborate. A verbatim or highly detailed description of the arguments is not required. The identification of the arguments is sufficient if the general nature or thrust of the principal arguments made to the examiner can be understood in the context of the application file. Of course, the applicant may desire to emphasize and fully describe those arguments which he or she feels were or might be persuasive to the examiner.)
- 6) a general indication of any other pertinent matters discussed, and
- 7) if appropriate, the general results or outcome of the interview unless already described in the Interview Summary Form completed by the examiner.

Examiners are expected to carefully review the applicant's record of the substance of an interview. If the record is not complete and accurate, the examiner will give the applicant an extendable one month time period to correct the record.

Examiner to Check for Accuracy

If the claims are allowable for other reasons of record, the examiner should send a letter setting forth the examiner's version of the statement attributed to him or her. If the record is complete and accurate, the examiner should place the indication, "Interview Record OK" on the paper recording the substance of the interview along with the date and the examiner's initials.

Docket No: 217924US

Applicant Initiated Interview Request Form

Application No.: 10/031,571 First Named Applicant: Adriano Huber
Examiner: Szymanski, T. M. Art Unit: 2134 Status of Application: Final

Tentative Participants:
(1) Joe Wrkich (2) Ray Cardillo
(3) _____ (4) _____

Proposed Date of Interview: April 24, 2006 Proposed Time: 2:30 PM
(1) ☐ Telephonic (2) ☒ Personal (3) ☐ Video Conference

Exhibit To Be Shown or Demonstrated: ☐ YES ☒ NO
If yes, provide brief description: _____

Issues To Be Discussed

Issues (Rej., Obj., etc)	Claims/Fig. #s	Prior Art	Discussed	Agreed	Not Agreed
(1) <u>Rej.</u>	<u>9 and 17-20</u>	<u>Alperovich</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(2) _____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(3) _____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
(4) _____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☒ Continuation Sheet Attached**Brief Description of Arguments to be Presented:**See attached unofficial claim amendments;

An interview was conducted on the above-identified application on _____.

NOTE:

This form should be completed by applicant and submitted to the examiner in advance of the interview (see MPEP § 713.01).

This application will not be delayed from issue because of applicant's failure to submit a written record of this interview. Therefore, applicant is advised to file a statement of the substance of this interview (37 CFR 1.133(b)) as soon as possible

(Applicant/Applicant's Representative Signature)_____
(Examiner/SPE Signature)

Application No. 10/031,571
UNOFFICIAL

Claims 1-8 (Canceled).

9. (Currently Amended) A method for setting in a situation-dependent way a degree of security of cryptography functions which are used in at least one communication terminal, ~~which~~ the one communication terminal communicates by at least one telecommunication network, the method comprising:

receiving a plurality of situation-indicating parameters in the one communication terminal over the telecommunication network from a secure source; and

determining security parameters in the one communication terminal based on a combination of the plurality of current received situation-indicating parameters, the security parameters are associated in the one ~~communications~~ communication terminal with the respective situation-indicating parameters, and the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

10. (Previously Presented) The method according to claim 9, wherein at least certain of said situation-indicating parameters contain service-specific data which are transmitted in a secure way over the telecommunication network to the one communication terminal by a service server from which the one communication terminal obtains services.

Application No. 10/031,571
UNOFFICIAL

11. (Previously Presented) The method according to claim 9, wherein at least certain of said situation-indicating parameters contain data about a permissible degree of security or permissible security parameters which are transmitted in a secure way over the telecommunication network to the one communication terminal by a service server from which the one communication terminal obtains services.

12. (Previously Presented) The method according claim 9, wherein at least one of said communication terminals is a mobile radio device, and at least one of said situation-indicating parameters contains a country code which is transmitted to the mobile radio device by a mobile radio network in which the mobile radio device is roaming.

13. (Previously Presented) The method according to claim 10, wherein at least one of said situation-indicating parameters contains data about a permissible degree of security or permissible security parameters which are transmitted in a secure way over the telecommunication network to the one communication terminal by a service server from which the one communication terminal obtains services.

14. (Previously Presented) The method according claim 10, wherein at least one of said communication terminals is a mobile radio device, and at least one of said situation-indicating parameters contains a country code which is transmitted to the mobile radio device by a mobile radio network in which the mobile radio device is roaming.

Application No. 10/031,571
UNOFFICIAL

15. (Previously Presented) The method according claim 11, wherein at least one of said communication terminals is a mobile radio device, and at least one of said situation-indicating parameters contains a country code which is transmitted to the mobile radio device by a mobile radio network in which the mobile radio device is roaming.

16. (Previously Presented) The method according claim 13, wherein at least one of said communication terminals is a mobile radio device, and at least one of said situation-indicating parameters contains a country code which is transmitted to the mobile radio device by a mobile radio network in which the mobile radio device is roaming.

17. (Currently Amended) A communication terminal which communicates by a telecommunication network, the communication terminal comprising:

a degree-of-security-determining module ~~in order~~ configured to set in a situation-dependent way a degree of security of cryptography functions which are used in the communication terminal, ~~which the~~ the degree-of-security-determining module receives is configured to receive a plurality of situation-indicating parameters from a secure source in a secure way over the telecommunication network and is configured to set the degree of security based on a combination of the plurality of situation-indicating parameters,

Application No. 10/031,571
UNOFFICIAL

wherein the degree-of-security-determining module includes tables or corresponding program instructions by which corresponding security parameters are associated with the plurality of ~~currently~~ received situation-indicating parameters, ~~which~~ the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

18. (Currently Amended) A chipcard which is removably connectible to a communication terminal, which communication terminal communicates by a telecommunication network, the chipcard comprising:

a degree-of-security-determining module ~~in order~~ configured to set in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, which the degree-of-security-determining module ~~receives~~ is configured to receive a plurality of situation-indicating parameters in a secure way over the telecommunication network from a secure source and is configured to set the degree of security based on a combination of the plurality of situation-indicating parameters,

wherein the degree-of-security-determining module includes tables or corresponding program instructions by which corresponding security parameters are associated with ~~currently~~ the plurality of received situation-indicating parameters, ~~which~~ the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

Application No. 10/031,571
UNOFFICIAL

19. (Currently Amended) A computer program product having computer program instructions which when executed by a computer cause the computer to perform the following steps:

controlling a processor in a communication terminal, ~~which~~ such that the communication terminal communicates over a telecommunication network, ~~such~~ and that the communication terminal sets in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, ~~whereby~~ wherein the communication terminal receives a plurality of situation-indicating parameters over the telecommunication network from a secure source in a secure way and sets the degree of security based on a combination of the plurality of situation-indicating parameters,

wherein the computer program includes tables or corresponding instructions by which corresponding security parameters are associated with ~~currently~~ the plurality of received situation-indicating parameters, ~~which~~ the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

20. (Currently Amended) A tangible element holding a computer program ~~having~~ comprising:

computer program code means for controlling a processor in a communication terminal, ~~which~~ such that the communication terminal communicates by a telecommunication network, ~~such~~ and that the processor sets in a situation-dependent way a degree of security of cryptography functions used in the communication terminal,

Application No. 10/031,571
UNOFFICIAL

~~whereby~~ wherein the processor receives a plurality of situation-indicating parameters over the telecommunication network from a secure source in a secure way and sets the degree of security based on a combination of the plurality of situation-indicating parameters,

wherein the tangible element holding the computer program includes tables or corresponding program instructions by which corresponding security parameters are associated with ~~currently~~ the plurality of received situation-indicating parameters, ~~which~~ the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms, which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

21 (New). A method for setting in a situation-dependent way a degree of security of cryptography functions which are used in at least one communication terminal, the one communication terminal communicates by at least one telecommunication network, the method comprising:

receiving situation-indicating parameters in the one communication terminal over the telecommunication network from a secure source; and

determining security parameters in one communication terminal based on the received situation-indicating parameters, the security parameters are associated in the one communication terminal with the respective situation-indicating parameters, and the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions for

Application No. 10/031,571
UNOFFICIAL

specific services including at least one of an e-mail service, a file-transfer service, a financial service, and a database application service.

22 (New). A communication terminal which communicates by a telecommunication network, the communication terminal comprising:

a degree-of-security-determining module configured to set in a situation-dependent way a degree of security of cryptography functions which are used in the communication terminal, the degree-of-security-determining module is configured to receive situation-indicating parameters from a secure source in a secure way over the telecommunication network,

wherein the degree-of-security-determining module includes tables or corresponding program instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions for specific services including at least one of an e-mail service, a file-transfer service, a financial service, and a database application service.

23 (New). A chipcard which is removably connectible to a communication terminal, which communication terminal communicates by a telecommunication network, the chipcard comprising:

Application No. 10/031,571
UNOFFICIAL

a degree-of-security-determining module configured to set in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, the degree-of-security-determining module is configured to receive situation-indicating parameters in a secure way over the telecommunication network from a secure source,

wherein the degree-of-security-determining module includes tables or corresponding program instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions for specific services including at least one of an e-mail service, a file-transfer service, a financial service, and a database application service.

24 (New). A computer program product having computer program instructions which when executed by a computer cause the computer to perform the following steps:

controlling a processor in a communication terminal, such that the communication terminal communicates over a telecommunication network, and the communication terminal sets in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, wherein the communication terminal receives situation-indicating parameters over the telecommunication network from a secure source in a secure way,

Application No. 10/031,571
UNOFFICIAL

wherein the computer program includes tables or corresponding instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions for specific services including at least one of an e-mail service, a file-transfer service, a financial service, and a database application service.

25 (New). A tangible element holding a computer program comprising:

computer program code means for controlling a processor in a communication terminal, such that the communication terminal communicates by a telecommunication network, and the processor sets in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, wherein the processor receives situation-indicating parameters over the telecommunication network from a secure source in a secure way,

wherein the tangible element holding the computer program includes tables or corresponding program instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms, which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions for specific services including at least one of an e-mail service, a file-transfer service, a financial service, and a database application service.

Application No. 10/031,571
UNOFFICIAL

26 (New). A method for setting in a situation-dependent way a degree of security of cryptography functions which are used in at least one communication terminal, the one communication terminal communicates by at least one telecommunication network, the method comprising:

receiving situation-indicating parameters in the one communication terminal over the telecommunication network from a secure source, the situation-indicating parameters including service-specific data that indicates a current type of service including at least one of an e-mail service, a file transfer service, a financial service, and a database application service; and

determining security parameters in one communication terminal based on the received situation-indicating parameters, the security parameters are associated in the one communication terminal with the respective situation-indicating parameters, and the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

27 (New). A communication terminal which communicates by a telecommunication network, the communication terminal comprising:

a degree-of-security-determining module configured to set in a situation-dependent way a degree of security of cryptography functions which are used in the communication terminal, the degree-of-security-determining module is configured to receive situation-indicating parameters from a secure source in a secure way over the

Application No. 10/031,571
UNOFFICIAL

telecommunication network, the situation-indicating parameters including service-specific data that indicates a current type of service including at least one of an e-mail service, a file transfer service, a financial service, and a database application service, wherein the degree-of-security-determining module includes tables or corresponding program instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

28 (New). A chipcard which is removably connectible to a communication terminal, which communication terminal communicates by a telecommunication network, the chipcard comprising:

a degree-of-security-determining module configured to set in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, the degree-of-security-determining module configured to receive situation-indicating parameters in a secure way over the telecommunication network from a secure source, the situation-indicating parameters including service-specific data that indicates a current type of service including at least one of an e-mail service, a file transfer service, a financial service, and a database application service, wherein the degree-of-security-determining module includes tables or corresponding program instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters

Application No. 10/031,571
UNOFFICIAL

include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

29 (New). A computer program product having computer program instructions which when executed by a computer cause the computer to perform the following steps:

controlling a processor in a communication terminal, such that the communication terminal communicates over a telecommunication network, and the communication terminal sets in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, wherein the communication terminal receives situation-indicating parameters over the telecommunication network from a secure source in a secure way, the situation-indicating parameters including service-specific data that indicates a current type of service including at least one of an e-mail service, a file transfer service, a financial service, and a database application service,

wherein the computer program includes tables or corresponding instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

30 (New). A tangible element holding a computer program comprising:

Application No. 10/031,571
UNOFFICIAL

computer program code means for controlling a processor in a communication terminal, such that the communication terminal communicates by a telecommunication network, such that the processor sets in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, wherein the processor receives situation-indicating parameters over the telecommunication network from a secure source in a secure way, the situation-indicating parameters including service-specific data that indicates a current type of service including at least one of an e-mail service, a file transfer service, a financial service, and a database application service, wherein the tangible element holding the computer program includes tables or corresponding program instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms, which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

31 (New). A method for setting in a situation-dependent way a degree of security of cryptography functions which are used in at least one communication terminal, the one communication terminal communicates by at least one telecommunication network, the method comprising:

receiving situation-indicating parameters in the one communication terminal over the telecommunication network from a secure source, the situation-indicating parameters including a country code; and

Application No. 10/031,571
UNOFFICIAL

determining security parameters in one communication terminal based on the received situation-indicating parameters, the security parameters are associated in the one communication terminal with the respective situation-indicating parameters, and the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

32 (New). A communication terminal which communicates by a telecommunication network, the communication terminal comprising:

a degree-of-security-determining module configured to set in a situation-dependent way a degree of security of cryptography functions which are used in the communication terminal, the degree-of-security-determining module is configured to receive situation-indicating parameters from a secure source in a secure way over the telecommunication network, the situation-indicating parameters including a country code,

wherein the degree-of-security-determining module includes tables or corresponding program instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

Application No. 10/031,571
UNOFFICIAL

33 (New). A chipcard which is removably connectible to a communication terminal, which communication terminal communicates by a telecommunication network, the chipcard comprising:

a degree-of-security-determining module configured to set in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, the degree-of-security-determining module is configured to receive situation-indicating parameters in a secure way over the telecommunication network from a secure source, the situation-indicating parameters including a country code,

wherein the degree-of-security-determining module includes tables or corresponding program instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

34 (New). A computer program product having computer program instructions which when executed by a computer cause the computer to perform the following steps:

controlling a processor in a communication terminal, such that the communication terminal communicates over a telecommunication network, and the communication terminal sets in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, wherein the communication terminal receives

Application No. 10/031,571
UNOFFICIAL

situation-indicating parameters over the telecommunication network from a secure source in a secure way, the situation-indicating parameters including a country code,

wherein the computer program includes tables or corresponding instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.

35 (New). A tangible element holding a computer program comprising:

computer program code means for controlling a processor in a communication terminal, such that the communication terminal communicates by a telecommunication network, and the processor sets in a situation-dependent way a degree of security of cryptography functions used in the communication terminal, wherein the processor receives situation-indicating parameters over the telecommunication network from a secure source in a secure way, the situation-indicating parameters including a country code,

wherein the tangible element holding the computer program includes tables or corresponding program instructions by which corresponding security parameters are associated with the received situation-indicating parameters, the security parameters include at least one of a length of cryptographic keys and a designation of cryptographic algorithms, which are used by the cryptography functions and which determine a height of the degree of security of the cryptography functions.